

5/17/2018

Print



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Pa Dt
PO039318	MEC002-VU	3	1	Net 30	M7075T6S1.750X4.500	M7075T6 Sheet 1.750 Thick X 4.500 Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-CQ-A-250/12 OR AMS 4C45 OR ASTM B209 receive ft				12	5/18/2018	12		S072142	Stock	5/17/2018	\$ 48.90 / ft	0	
Total:										12		12							

Plex 5/17/2018 8:25 AM Dart, Dubois, Pascal



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO039318

**Supplier:** MEC002-VU  
Metaux Castle  
P.O. Box 4090 Stn A  
Toronto  
ON  
M5W OE9 Canada

**PO No:** PO039318  
**PO Date:** 3/14/18  
**Due Date:** 4/4/18  
**Purchase Order Revision:**  
**Revision Date:**  
**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**E-MAILED**

MAR 14 2018

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground  
**Pymt Terms:** Net 30  
**Freight Terms:**  
**Special Comments:**

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	M7075T6S0.375X5.000		M7075T6S0.375 X 5.000 : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	4/4/18	12 ft	0 ft	12 ft	\$18.10/ft	\$217.20
						12			MAR 29 2018	
2	M7075T6S6.000X0.250		7075-T6S Sheet 6" Thick Plate X 0.25" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	4/4/18	12 ft	0 ft	12 ft	\$20.75/ft	\$249.00
						12			MAR 29 2018	
3	M7075T6S1.750X4.500		M7075T6 Sheet 1.750 Thick X 4.500 Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	4/4/18	12 ft	0 ft	12 ft	\$48.90/ft	\$586.80
						12			MAY 17 2018	

Plex 3/14/18 1:32 PM dart.lavoie.chantal

### Order Notes


Plex 3/14/18 1:32 PM dart.lavoie.chantal

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3585265

<b>Ship From:</b> A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 02-MAY-18	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> YRC	<b>BOL No</b> 3585265-2

Shipment Details				Final Destination Branch - TOR			
Order No	Line No	Item No	Description				
5119204	1	750488.MO	1.7500.PL.7075.T651 ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 4.5 IN ( + .1250/- .0000 IN) X 144.5 IN ( + .1250- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
39318		1.00 PCS	1.00 PCS				
Details							
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
Delivery No.	Mil/Source	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
121791161	KAISER ALUMINUM	 7 0 9 3 7 3 B 5		1			117.8218

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

*Anthony Anderson*  
Anthony Anderson



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M17025H6S 1.750x4.300

PO / BATCH NO.: 039318/5072142

DATE: MAY 16 2018

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.750  
 THICKNESS RECEIVED: 1.750  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	<u>Astun 6209</u>
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	<u>Heat# 709373B5</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS 11</u>	SIGNED OFF BY: _____		
DATE: <u>9-89 MAY 16 2018</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# SPECIFICATION CONTROL DRAWING

B PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/12 OR AMS-QQ-A-250/12  
OR AMS 4045  
OR ASTM B209

OR

B PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/13 OR AMS-QQ-A-250/13  
OR AMS 4048/4049  
OR ASTM B209

B PART NUMBER:

M7075T6S-TTTTX W.WWWW  
|THK| |WIDTH|

B WHERE ".TTT" = THICKNESS (IN INCHES)

AND "W.WWWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063

EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

B PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED

2017 JUN 19  
ECN 17-574

APPROVED

B	ADD. REF. TO "PLATE" * T651 TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CART-148)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	D9		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
SHEET 1 OF 1			
TITLE 7075-T6 SHEET/PLATE SPEC NTS			
SCALE			
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED HEREIN.			

SHIP TO: A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723
SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

# KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4505697

CUSTOMER PO NUMBER: 447851-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 750488	SHIP RUN/LOAD: 104245/29	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1248527-1	SHIP DATE: 12-APR-2018	ALLOY: 7075	CLAD: BARE	TEMPER: T651
PRODUCT DESCRIPTION: KaiserSelect Plate				
WEIGHT SHIPPED: 3800 LB	QUANTITY: 3 PCS EST.	TRUCK B/L #: 2073063	GAUGE: 1.7500 IN (44.4500 MM)	DIAMETER/WIDTH: 48.500 IN (1231.9 MM)
LENGTH: 144.500 IN (3670.3 MM)				

MHU 2197057: LOT 708866B9: 1 pieces;

MHU 2201620: LOT 709373B5: 2 pieces;

### Certified Specifications

AMS 4045/RevL  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevV  
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevC  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 1512

Lot: 708866B9 Cast 604

Drop 09

### Test Results

Ingot 2

Parent Lot: 255296B6

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	79.5 : 80.8 (548 : 557)	69.6 : 71.6 (480 : 494)	10.5 : 12.8

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.6	0.04	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.03
Lot: 709373B5	Cast 611	Drop 32	Ingot 3	Parent Lot: 241526B3	Melted in USA						

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	81.2 : 81.4 (560 : 561)	72.0 : 72.5 (496 : 500)	13.4 : 13.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.09	0.18	1.4	0.04	2.5	0.20	5.6	0.03	0.01	0.03	TOT 0.03





# KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108  
15000 E Euclid, Spokane Valley WA 99216  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4505697

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER\_COMMENTS

AMC CA-15403A R 7

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.

\* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.

\* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.

\* has been thermally processed in compliance with AMS 2772, where applicable.

\* is mercury free, within the limits of detection of ASTM E1215 (<1ppm).

\* is in compliance with RoHS 2, European Union Directive 2011/65/EU.


\* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.

\* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

\* is free of weld repair.

\* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER